SABA 50

SABA 50 GRAND LARGE Description

General Specifications:
Length overall:
Light weight displacement:
Sail area: Genoa:
Engines:
Tank capacity: Fresh water:
Boat certified CE: category A: 14people, category B: 14people, category C: 24 people, category D: 30people
Architecte naval / Naval architect

Interior Layout

A-1 General characteristics..

- Alpi woodworking
- Salon / Cabins flooring: Timber-laid floor
- Lining on rotproof glass felt
- Seat cushions
- Polyether foam mattresses

A-2 Saloon Layout.....

A-2-1 Saloon

- Accessible via a single-leaf sliding door with carpeted entrance
- Panoramic vie through picture windows
- Natural lighting via 2 glass panels
- 1 veneered table
- 6 places bench seat
- Large storage boxes under the bench
- Ventilation via to 2 large front opening hatches
- Main lighting system by 5 spotlights

A-2-2 Galley:

- Galley opened to the outside thanks to a sliding bay
- Ventilation via 1 opening hatch above stove top
- Worktop
- Twin stainless-steel sinks
- 1 top accessed trash can, bags removed through separate door
- Pressurized hot and cold freshwater system from mixer faucet
- 1 x 4 burner stove with pan holder
- 1 stainless gas oven
- 2 large cupboards under the sinks accommodating a dishwasher (optionally)
- Front closet that can accommodate a maximum volume of 130L/34gals in refrigeration mode or 90L/24gals in conservation mode
- 1 cutlery drawer, 2 drawer for pots & pans
- 190L cold storage volume (12V) in central "island" cabinet
- 1 large storage cupboard on the starboard side of the entrance
- 3 storage spaces underneath the floor
- 4 spotlights

A-2-3 Chart Table:

- Wooden chart table and storage with flap cover
- High navigation instrument console
- 12V Electric panel
- One 12V electric outlet
- Lighting via 1 spotlight & 1 reading lamp for the chart table

A-3 Interior Layout: « QUINTET » version

5 double cabins & 5 independent bathrooms, 1 crew cabin with bathroom

A-3-1 Starboard hull: 2 double cabins + 2 bathrooms + crew cabin with bathroom

A-3-1.1 Companionway

A companionway behind the saloon gives access to the starboard hull

- Wooden staircase on stainless steel silt
- Lighting via 2 spotlights

A-3-1.2 Aft Cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Bedside shelves
- Wardrobe
- Cupboard with shelves in it
- Ventilation via a deck hatch + 1 porthole overlooking the rear deck
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-3-1.3 Fore & aft bathrooms:

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation via 1 deck hatch
- Lighting via 2 spotlights

A-3-1.3 Crew cabin

- Access from the companionway via a wooden door
- Double bed (1.30m*2m)
- Hanging closet in the companionway
- Storage room below the bed
- Lighting via 2 spotlights + berth light
- Controlled Mechanical Ventilation in the cabin

A-3-1.3 Crew bathroom

- Access from the companionway via a wooden door
- Worktop & washbasin with mixer faucet
- Mirror
- Shower with electric drainage pump
- Large manual marine toilet
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- 1 spotlight

A-3-1.4 Fore cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed/ Double bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch + 1 porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-3-1.5 Fore peak:

- Access from the forward bathroom or the deck hatch
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

A-3-2 Port hull: 3 double cabins + 3 bathrooms

A-3-2.1 Companionway

A Companionway behind the saloon gives access to the starboard hull The amidships & fore cabins though a companionway ahead of the saloon

- Wooden staircase with stainless steel silt
- 1 spotlight

A-3-2.2 Aft cabin:

- Access from the cockpit though Plexiglas door including keylock
- Queen-size bed (1,60x2,00 approx.)
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch
- Large picture-window on hull side
- Curtains to all windows and doors
- Lining covered ceilings

- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-3-2.3 Aft, central and fore bathroom:

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via 2 spotlights

A-3-2.4 Central cabin:

- Access from the companionway via a wooden door
- Queen-size bed (1,60x2,00 approx.)
- Drawer below the bed with frontal access
- Wardrobe
- Ventilation thanks to a deck hatch & 1 porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-3-2.5 Fore Cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Ventilation thanks to a deck hatch & 1 porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-3-2.6 Forepeak:

- Access from the forward bathroom or the deck hatch(optional)
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

A-4 Interior Layout: « MAESTRO » Version

1 Owner's suite + 1 double cabin to port & 2 double cabins to starboard

A-4-1 Starboard hull: 2 double cabins + 2 bathrooms

A-4-1.1 Companionway

A companionway behind the saloon gives access to the starboard hull

- Wooden staircase with stainless steel silt
- Lighting via 2 spotlights
- 2 large closets with shelves in the companionway
- Lining covered ceilings

A-4-1.2 Aft Cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed(1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch + 1 porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-4-1.3 Aft & Fore bathrooms:

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation via 1 deck hatch
- Lighting via 2 spotlights

A-4-1.4 Fore cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed (1,60x2,00 m approx).
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch & 1 porthole
- Large picture-window on hull side

- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Lining covered ceilings

A-4-1.5 Fore peak:

- Access from the forward bathroom or the deck hatch(optional)
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

A-4-2 Port hull: 1 Owner's suite + 1 double cabin & bathroom

A-4-2.1 Companionway

A companionway on forward port side of the saloon gives access to the port hull

- Wooden staircase with stainless steel silt
- 1 spotlight

Access to the Owner's cabin through a wooden door down the companionway

A-4-2.2 Owner's cabin -Sleeping area

- Queen-size Island Bed(1,60x2,00 m approx) with slatted base frame
- Drawer below the bed with frontal access
- Bedside shelves
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch + 1 porthole overlooking the rear deck
- Rear panoramic window
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hooks
- Storage compartment under the berth

A-4-2.3 Owner's cabin – Office area:

- Desk with storage cabinet
- 1 seat
- Storage cabinet below the desk
- Large storage furniture: hanging closet & cupboard
- Library wall niche
- Main lighting via 3 spotlights & 1 berth light
- Ventilation via 1 deck hatch
- Lining covered ceilings

A-4-2.4 Owner's cabin - Bathroom:

- Washbasin with worktop
- Mirror with shelf
- Ventilation via 1 deck hatch
- Separate toilet accessed through wooden door
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via 3 spotlights

A-4-2.5 Fore cabin:

- Access from the companionway via a wooden door
- Queen-size Island Bed/ Double bed (1,60x2,00 m approx)
- Drawer below the bed with frontal access
- Wardrobe
- Ventilation thanks to a deck hatch & 1 porthole
- Large picture-window on hull side
- Curtains to all windows and doors
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings

A-4-2.6 Fore bathroom:

- Access via wooden door
- Washbasin with worktop
- Mirror with shelf
- Hot and cold freshwater system from mixer faucet
- Shower separated via a Plexiglas panel
- Electric drainage pump for greywater
- Mixing valve tap for shower
- Large manual marine toilet
- Storage closet with shelves under the worktop
- Clothes hooks
- Ventilation thanks to 1 deck hatch
- Lighting via 2 spotlights

A-4-2.7 Forepeak:

- Access from the forward bathroom or the deck hatch(optional)
- Fully-painted, gel-coat finish
- Buoyancy reserve under half-height shelf

Deck Layout

B-1 Helm station

- Access through staircase from the cockpit
- Triple helmsman seat
- Instrument console
- 360° view / All-round visibility
- Access to the Lounge deck through staircase

B-2 Lounge deck

- Access via staircase from wheelhouse
- Available area for solarium and mattresses
- Surface: 13 m²
- Visibility 360°
- Lounge with large sofa
- Fainting sofa at port
- Stowage locker at port

B-3 Cockpit:

- Large cockpit: 19m², Circulation without threshold towards the saloon.
- Access via the transom platforms
- Transom platform with swimming ladder (at port) & handrail
- 1 cold shower in the port platform
- GRP Bimini protecting all the cockpit
- 8 seats sofa around the table
- 1 Teck cockpit table with a capacity of 8 places (10 places in option)
- Serving hatch to the galley via sliding bay
- 1 Large storage area under the sofa
- 1 fainting sofa with large storage locker
- 1 Transom sofa with large storage locker
- 2 Sunbeds
- 1 Gas chest for 2 bottles
- Space for the liferaft under the stairs leading to helm station
- Space on starboard side for a cockpit 75L fridge
- Additionnal ventilation and lighting via 1 deck hatch
- Lighting via 2 waterproof spotlights
- Space available for a barbecue on starboard side aft of the cockpit

B-4 Fore-deck saloon:

- Grand coffre avant, accès au mouillage et aux reservoirs eau douces
- 1 Large chest giving access to windlass and anchor as well as water tanks
- Relaxation area with U-shaped sunbed (cushions optionnal)

B-5 Engine holds:

- Access via polyester deck hatch installed on stainless steel gas cylinders
- Sound proofing
- Neon lighting

C MOTORIZATION

C-1 Engines & Equipments:

- 2 Saildrive Volvo engine D2- 55CV
- 3 Blades fixed propeller
- Salt water filters
- Engine cooled via heat exchanger
- Complete engine panel and dual controls at helm station
- Hour meter

C-1 Fuel System:

- 1 Fuel tank 470L in each hull fuel filling on both side decks including backflow protection device
- 2 Electric fuel gauge (indicator at chart table)
- 1 Fuel pre-filter / water separator + 1 engine fuel filter / engine
- Fuel shut-off valves

D PLUMBING

D-1 Freshwater:

- 2 Freshwater tanks in the technical compartment at bow (700L total capacity) with
- 1 Electric gauge at chart table
- 1 Electric pump and pressure accumulator
- 1 Mixed water heater 60l in port hull
- Available space for an additional water heater in the starboard hull

D-2 Grey water:

Shower drainage via individual shower pump (automatic pump-out).

D-3 Bilging system:

- 1 electric bilge pump (2m³/h) in each engine room
- 1 electric bilge pump (2m³/h) in each hull
- 1 manual exterior bilge pump

ELECTRICITY / ELECTRONIC

E-1 Power circuit:

- 2 x 115A/12V engine alternators
- 1 set starboard onboard/engine batteries of 600A/h (4 x 150 Ah)
- 1 port engine battery of 50A/h/800CCA
- 1 automatic back-up link and 1 Manual back-up link

E-2 12V Electrical Distribution Panel:

- General 12V distribution panel at chart table protected via circuit breakers
- Voltmeter for onboard batteries
- Spare sockets for extra equipment
- All accomodation lightings LED
- All LED lighting functions monitored by multiplexing system

E-2 Electronic:

• 1 V.H.F mast head antenna

RIGGING & SAILS

F-1 Mast & Boom:

- Mast and boom in anodized aluminum
- Complete standing rigging
- Ball bearing mainsail luff cars
- 1 tackle on mainsail halyard
- 1 topping lift
- 3 reef pennants
- 1 genoa halyard
- 1 spinnaker halyard
- Lazy-jack
- Clutches on all halyards for genoa, spinnaker and topping lift
- Clutches on reef pennants at boom exit
- 2 flag halyards
- Navigation, running and mooring lights
- Deck lighting

F-2 Sails:

- Full batten CSR mainsail
- Roller genoa furler
- Genoa with UV band

G DECK FITTINGS

G-1 Helm station

- 1 mainsheet tackle led aft to coach roof
- 1 clutch for mainsail sheet
- 2 size 60 self tailing winches for mainsail and genoa sheets
- 1 Ball bearing mainsheet traveler
- 2 x tackle on mainsheet traveler clutches with back on roof
- 2 x genoa tracks with load block
- 2 genoa sheets
- 1 size 50 self tailing winchs for main halyard and reef lines
- 1 halyard storage bag

G-2 Système de barre

- 2 foam sandwich rudders on stainless steel rudder stock
- Hydraulic steering system with manual pump and 1 cylinder (starboard side)
- Rudders linked mechanically by stock arm + transversal tube
- Aluminium sterntubes
- Self lining upper and lower rudderstock bearings
- Emergency tiller

G-3 Other Equipments

- 1 steering compass
- 3 winch handles with their 3 pockets
- Pulpit and pushpit, stanchions with upper and lower guardrails
- Pulpits with bow pulpit seats
- Access to transom
- 2 x tender davits with 1 x size 46 winch on port side
- 7 mooring cleats (2 foredeck + 2 middle + 2 astern + 1 in anchor well)
- Protection for both transom
- 6 fenders
- 2 x 50 ft long mooring lines
- 1 x 1500W electric windlass with circuit breaker protection
- Anchor fairlead under bridge deck with built-in bridle
- 1 roller on forward beam
- Net on forward beam
- 1 kit of spare parts

All dimensions are given as a rough guide only.